

KOHLER

ROUGHING-IN SERVICE

KOHLER CO.
KOHLER, WIS.

PLUMBING FIXTURES, HEATING EQUIPMENT, ELECTRIC PLANTS



Digitized by

The Association for Preservation Technology International

For the

Building Technology Heritage Library

<http://archive.org/details/buildingtechnologyheritagelibrary>

KOHLER

ROUGHING-IN SERVICE

PRESENTED TO

Business Name

Business Address

Business

Individual's or user's name

Please retain this book in your possession.

*When writing regarding this book be sure to
mention date shown below.*

Please notify us of change in business name or address.

For roughing-in required on combinations not found in this book, write to the address below, giving complete specifications, number and date of order or quotation and your request will be given prompt attention.

KOHLER CO., KOHLER, WIS:
Product Service Department

Date 3-41


42

KOHLER OF KOHLER
"COSMOPOLITAN" Recess Bench Bath

K-525-CA With fitting.

K-525-C Less fitting.

K-7500 Fitting.



Sizes.....	4½'	5'	5½'
L.....	54"	60"	66"


Built-in stops (furnished only when specified) 5" down from center of valves, minimum.

No change in measurements if with connected drain and overflow.

PRINTED
IN
USA

K-526-CI	With fitting.	†
K-526-CP	With fitting.	‡
K-526-C	Less fitting.	

‡	K-7780	Fitting.
	K-7781	Fitting.
†	K-7785	Fitting.



Sizes	4½'	5'	5½'
L	54"	60"	66"

K-526-CI (3-41)

Measurements may vary $\frac{1}{2}$ ".


KOHLER OF KOHLER "COSMOPOLITAN" Recess Bench Bath

K-526-CM With fitting. †

K-526-C Less fitting.

† K-7465 Fitting.

K-7466 Fitting.



Sizes.....	41 1/2"	5'	51 1/2"
L.....	54"	60"	66"

Bath and any fitting listed above rough in as shown.

Built-in stops (furnished only when specified) 5" down from center of valves, minimum.

No change in measurements if with connected drain and overflow.

Measurements may vary 1/2".


Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.

"COSMOPOLITAN" Left Corner Bath

K-551-C Less fitting.

† K-7785 Fitting.



Sizes.....	4½'	5'	5½'
L.....	55"	61"	67"

Built-in stops (furnished only when specified) 5" down from center of valves, minimum.

Bath and any fitting listed above rough in as shown.


No change in measurements if with connected drain and overflow.

Measurements may vary $\frac{1}{2}$ ".

PRINTED
IN
U.S.A.

K-555-CI	With fitting.	†
K-555-CP	With fitting.	‡
K-555-C	Less fitting.	

‡ K-7780	Fitting.
K-7781	Fitting.
† K-7785	Fitting.



Sizes.....	4½'	5'	5½'
L.....	54¼"	60¼"	66¼"

Bath and any fitting listed above rough in as shown.

No change in measurements if with connected drain and overflow.

KOHLER OF KOHLER

"COSMOPOLITAN" Recess Bath

K-556-CI With fitting. †


K-556-CP With fitting. ‡

K-556-C Less fitting.

‡ K-7780 Fitting.

K-7781 Fitting.

† K-7785 Fitting.



Sizes.....	4 1/2'	5'	5 1/2'
L	54 1/4"	60 3/4"	66 1/4"

Built-in stops (furnished only when specified) 5" down from center of valves, minimum.

Bath and any fitting listed above rough in as shown.

No change in measurements if with connected drain and overflow.

Measurements may vary 1/2".

Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.


KOHLER OF KOHLER

"LIBERTY" Bath

K-1000-T

Fittings

K-7810 double bath faucet with over rim spout,
supply pipes and connected drain and overflow.




Sizes.....	4 1/2'	5'
L.....	54"	60"

No change in measurements if furnished with pop-up drain.

K-1050-DS With fittings.
K-1050-D Less fittings.

K-7865 Double bath faucet.
K-7884 Supply pipes.
K-7958 Connected drain and overflow.



PRINTED
IN
U.S.A.

KOHLER OF KOHLER

"BARONESS" Bath

K-1055-DS With fittings.


K-1055-D Less fittings.

Fittings

K-7865 Double bath faucet.

K-7884 Supply pipes.

K-7958 Connected drain and overflow.



Sizes.....	4 1/2'	5'	5 1/2'
L.....	54"	60"	66"
B.....	38 3/4"	45 1/4"	50 3/4"

No change in measurements if with K-7867 double bath faucet or pop-up drain.

KOHLER OF KOHLER

"RIVAL" Bath

K-1060-DS With fittings.


K-1060-D Less fittings.

Fittings

K-7865 Double bath faucet.

K-7884 Supply pipes.

K-7958 Connected drain and overflow.



Sizes	4'	4 1/2'	5'
L	48"	54"	60"

No change in measurements if with K-7867 double bath faucet or pop-up drain.

Measurements may vary 1/2".


Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.

KOHLER OF KOHLER "JAMESTOWN" Vitreous China Lavatory

With Fittings	Less Fittings	Combination
K-1770-F	K-1770	Legs and towel bars.
K-1780-F	K-1780	*Pedestal and towel bars.
K-1790-J	K-1790	Leg.

K-1775-C, 85-C On other side.



	S	T
F Combination supply and pop-up drain, etc.....	18 1/2"	17"
J Faucets, pop-up drain, etc.....	21"	17"
P Faucets, drain plug, etc.....	21"	19 1/4"
A, E Combination supply, drain plug, etc.	18 1/2"	19 1/4"
Sizes	L	W
20x18"	20"	18"
24x20"	24"	20"
27x22"	27"	22"
	D	Z
	10"	16 1/2"
	12"	20 1/2"
	12"	24"
	R	
	23 1/2"	
	27 1/2"	
	30 1/2"	


Supply pipes to floor for pedestal lavatory should be offset 2 1/4" to rear.

* 20x18" size not furnished on pedestal.

KOHLER OF KOHLER

"JAMESTOWN" Vitreous China Lavatory

With Fittings	Less Fittings	Combination
K-1775-C	K-1775	Legs and towel bars.
K-1785-C	K-1785	Pedestal and towel bars.
K-1792-C	K-1792	Leg.
	K-1780-F, 90-J	On other side.



Sizes	L	W	R	Z
20x18"	20"	18"	23 1/2"	16 1/2"
24x20"	24"	20"	27 1/2"	20 1/2"
27x22"	27"	22"	30 1/2"	24"

T — Centra fitting with: pop-up drain 17", drain plug (when specified) 19 1/4"
Supply fitting has offset nipples.

Supply pipes to floor (K-8320 and 21) for pedestal lavatory—Center to wall 3 1/2", Center to center 7".

Measurements may vary 1/2".

Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.

KOHLER OF KOHLER

"JAMESTOWN" Vitreous China Lavatory

With Fittings

Less Fittings

K-1795-P

K-1795


K-1797-C

K-1797

K-2252-A

* K-2252

* Less supplies and trap.



	S	T
F Combination supply and pop-up drain, etc.....	18½"	17"
J Faucets, pop-up drain, etc.....	21"	17"
P Faucets, drain plug, etc.....	21"	19¼"
A, E Combination supply, drain plug, etc.....	18½"	19¼"
C Centra combination supply and pop-up drain, etc.....	19¾"	17"
Centra combination supply, drain plug, etc.....	19¾"	19¼"

D — Centra 8", All other fittings 20x18" - 10", 24x20" - 12".

Sizes	L	W	Y	Z
20x18"	20"	18"	16½"	14"
24x20"	24"	20"	18½"	16"


If with K-9565-C, E or F towel bars, add to length (L) of lavatory 2½" for each bar.

KOHLER OF KOHLER

"JAMESTOWN" Vitreous China Lavatory

K-1812 Chair Carrier

With Fittings	Less Fittings
K-1795-PR	K-1795-R
K-1797-CR	K-1797-R



	S	T
F Combination supply and pop-up drain, etc.	18 1/2"	17"
J Faucets, pop-up drain, etc.	21"	17"
P Faucets, drain plug, etc.	21"	19 1/4"
A, E Combination supply, drain plug, etc.	18 1/2"	19 1/4"
C Centra combination supply and pop-up drain, etc.	19 3/4"	17"
Centra combination supply, drain plug, etc.	19 3/4"	19 1/4"
D — Centra 8"; All other fittings 20x18" - 10", 24x20", 27x22" - 12".		

Sizes	L	W	Y
20x18"	20"	18"	16 5/8"
24x20"	24"	20"	18 7/8"
27x22"	27"	22"	21 3/8"

If with K-9551-C, E or F towel bars, add to length (L) of lavatory 2 1/2" for each bar.

Measurements may vary 1/2".

Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.


KOHLER OF KOHLER "GRAMERCY" Vitreous China Lavatory

Legs

- K-1850-BA** With fittings.
K-1850-B Less towel bars, supplies and trap.

Hangers

- K-1855-BA** With fittings.
K-1855-B Less towel bars, supplies and trap.



Size	L	W	R	H	P
22x18"	22"	18"	25 $\frac{1}{2}"$	11 $\frac{1}{2}"$	6 $\frac{5}{8}"$
24x20"	24"	20"	27 $\frac{1}{2}"$	13"	7 $\frac{1}{4}"$

KOHLER OF KOHLER
"STRAND" Vitreous China Lavatory

Legs


K-1870-BA With fittings.

K-1870-B Less towel bars, supplies and trap.

Hangers

K-1875-BA With fittings.

K-1875-B Less towel bars, supplies and trap.



Sizes	L	W	R	Z
20x14"	20"	14½"	23½"	12"
26x15½"	26"	15½"	29½"	13"

Measurements may vary $\frac{1}{2}$ ".

Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.

With Fittings	Less Fittings	Combination
K-2040-C	K-2040	Leg.
K-2055-C	K-2055	Hanger.

[illegible]

Sizes	L	W	Z
20x18"	20"	18"	9"
24x20"	24"	20"	11"

- | | |
|--|---------|
| | T |
| C Centra combination supply, pop-up drain, etc. | 17" |
| Centra combination supply, drain plug, etc. | 19 1/4" |

If with K-9560-C or E towel bars, add to length (L) of lavatory $2\frac{1}{2}$ " for each bar.

KOHLER OF KOHLER

"GREENWICH" Vitreous China Lavatory

With Fittings

K-2045-F

K-2050-J

K-2262-A

Less Fittings

K-2045

K-2050

*K-2262

Combination


Leg.

Hanger.

Hanger.

*Less supply pipes and trap.

K-2055-C On other side. K-2252-A On K-1795-P.



	S	T
F Combination supply and pop-up drain, etc.....	18 1/2"	17"
J Faucets, pop-up drain, etc.....	21"	17"
P Faucets, drain plug, etc.....	21"	19 1/4"
A, E Combination supply, drain plug etc.....	18 1/2"	19 1/4"

Sizes	L	W	D	Z
20x18"	20"	18"	10"	9"
24x20"	24"	20"	12"	11"

If with K-9565-C or E towel bars, add to length (L) of lavatory 2 1/2" for each bar.

Measurements may vary 1/2".


Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.

KOHLER OF KOHLER "LEXINGTON" Vitreous China Lavatory

K-2115-D With fittings.

K-2115 Less fittings.




	S	T
D Combination supply, drain plug, etc.	18 1/2"	19 1/4"
P Faucets, drain plug, etc.	21"	19 1/4"
G Faucets, pop-up drain through back, etc.	21"	17"

Sizes	L	W	D	P
20x13 1/2"	20"	13 1/2"	14 1/2"	7"
26x14"	26"	14"	16 1/2"	7 3/4"

KOHLER OF KOHLER "BREWSTER" Vitreous China Lavatory

K-2150-J With fittings.

K-2150 Less fittings.




	S	T
F Combination supply and pop-up drain, etc.....	18 1/2"	15"
J Faucets, pop-up drain, etc.....	21"	17"
P Faucets, drain plug, etc.....	21"	17 1/2"
A, E Combination supply, drain plug, etc.....	18 1/2"	15"

Measurements may vary 1/2".

KOHLER OF KOHLER

"WESTCHESTER" Enameled Lavatory

With Fittings	Less Fittings	Combination
K-2600-C	K-2600	Legs.
K-2610-C	K-2610	Pedestal.
K-2615-C	K-2615	Cabinet. 24x20" size only.



Sizes	L	W	R	Z	P	C
20x18"	20"	18"	24"	16 1/4"	9 3/4"	5 1/4"
24x20"	24"	20"	28"	18 1/2"	9 3/4"	5 1/4"
27x22"	27"	22"	31"	18 3/4"	10 3/4"	6 1/4"

T—Centra fitting with: pop-up drain 17"; drain plug (when specified) 19 1/4".

Supply fitting has offset nipples.


Supply pipes to floor (K-8320 and 21) for pedestal lavatory—Center to wall: 27x22" size 4 1/2"; Other sizes 3 1/2". Center to center 6 1/2".

Wall brackets shown not furnished with pedestal or cabinet lavatory combinations.

KOHLER OF KOHLER

"WESTCHESTER" Enameled Lavatory

With Fittings	Less Fittings	Combination
K-2625-F	K-2625	Legs.
K-2635-F	K-2635	Pedestal.



	S		T	
F Combination supply and pop-up drain, etc.	18 1/2"		17"	
J Faucets, pop-up drain, etc.	21"		17"	
P Faucets, drain plug, etc.	21"		19 1/4"	
A, E Combination supply, drain plug, etc.	18 1/2"		19 1/4"	
Sizes	L	W	Z	P
20x18"	20"	18"	16 1/4"	9 3/4"
24x20"	24"	20"	18 1/2"	9 3/4"
27x22"	27"	22"	18 3/4"	10 3/4"
				C
				5 1/4"
				5 1/4"
				6 1/4"
				R
				24"
				28"
				31"

Supply pipes to floor for pedestal lavatory should be offset 2 1/2" to rear.

Wall brackets shown not furnished with pedestal lavatory combination.

Measurements may vary 1/2".


Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.

KOHLER OF KOHLER "WESTCHESTER" Enameled Lavatory

K-2645-P With fittings.

K-2645 Less fittings.



	S	T
F Combination supply and pop-up drain, etc.	18 1/2"	17"
J Faucets, pop-up drain, etc.	21"	17"
P Faucets, drain plug, etc.	21"	19 1/4"
A, E Combination supply, drain plug, etc.	18 1/2"	19 1/4"

Sizes	L	W	Z
20x18"	20"	18"	16 1/4"
24x20"	24"	20"	18 1/2"


If with K-9565-C, E or F towel bars, add to lavatory length (L)
2 1/2" for each bar.

KOHLER OF KOHLER

"HAMPTON" Enameled Lavatory

With Fittings	Less Supply Pipes and Trap	Combination
K-2710-BA	† K-2710-B	Legs.
K-2715-BA	K-2715-B	Cabinet.
K-2720-BA	† K-2720-B	Hanger.

† Less towel bars.



Sizes	L	W	R	O	Z
19x17"	19"	17"	23"	6"	10"
22x19"	22"	19"	26"	6 1/2"	14"

Measurements may vary 1/2".

Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.

KOHLER OF KOHLER "HUDSON" Enameled Lavatory

With Fittings


Less Fittings

K-2805-C

K-2805

K-2805-CS

K-2805



Sizes	L	W	R
20x18"	20"	18"	24"
22x19"	22"	19"	26"


C	Centra combination supply, pop-up drain, etc.	T	17"
CS	Centra combination supply, drain plug, etc.	T	19 1/4"

Supply fitting has offset nipples.

"HUDSON" Enameled Lavatory

With Fittings	Less Fittings	Combination
K-2810-P	K-2810	Cabinet.
K-2815-J	K-2815	Hanger.

For battery see K-3145-A.



	S	T
F Combination supply and pop-up drain, etc.	18½"	17"
J Faucets, pop-up drain, etc.	21"	17"
P Faucets, drain plug, etc.	21"	19¼"
A, E Combination supply, drain plug, etc.	18½"	19¼"

Sizes	L	W
20x18"	20"	18"
22x19"	22"	19"

If with K-9565-D or E towel bars, add to lavatory length (L) 2½" for each bar.

Measurements may vary $\frac{1}{2}$ ".

Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.

KOHLER OF KOHLER "BRETTON" Enameled Lavatory

With Fittings


K-2875-CS

K-2880-P

Less Fittings

K-2875

K-2880



	S	T	D
F Combination supply and pop-up drain, etc.....	18 1/4"	17"	12"
J Faucets, pop-up drain, etc.	20 3/4"	17"	12"
P Faucets, drain plug, etc.....	20 3/4"	19 1/4"	12"
A, E Combination supply, drain plug, etc.....	18 1/4"	19 1/4"	12"
C Centra combination supply, pop-up drain, etc.....	19 1/2"	19 1/4"	8"
CS Centra combination supply, drain plug, etc.	19 1/2"	19 1/4"	8"



Sizes	L	W	O	N	I	17"
19x17"	19 1/4"	17 3/8"	7"	4"	2 7/8"	19 1/4"
21x18"	21 1/2"	18 1/8"	7 1/4"	4 3/4"	3 1/4"	

KOHLER OF KOHLER

"NAROBOL" Enameled Lavatory

K-2900-M With fittings.

K-2900 Less fittings.




	S	T
G Faucets, pop-up drain through back, etc.	20 $\frac{3}{4}$ "	17 $\frac{3}{4}$ "
M Faucets, drain plug, etc.....	20 $\frac{3}{4}$ "	20"
E Combination supply, drain plug, etc.....	18 $\frac{1}{4}$ "	20"

Measurements may vary $\frac{1}{2}$ ".

K-2920-BA With fittings.
K-2920-B Less supplies and trap.

K-2920-B Less supplies and trap.





KOHLER OF KOHLER

"KENNETH" Enameled Lavatory

K-2950-P With fittings.

K-2950 Less fittings.



J	Faucets, pop-up drain, etc.					S	T
						20 ³ / ₄ "	17"
P	Faucets, drain plug, etc.					20 ³ / ₄ "	17 ¹ / ₂ "
Sizes	L	W	X	A	C	E	P
16"	16 ³ / ₄ "	22"	35 ¹ / ₄ "	5 ¹ / ₂ "	3 ¹ / ₄ "	7 ¹ / ₂ "	7 ¹ / ₄ "

Measurements may vary 1/2".

Kohler Co., Kohler, Wisconsin


PRINTED
IN
U.S.A.

KOHLER OF KOHLER

"CLARE" Enameled Lavatory

K-3000-P With fittings.

K-3000 Less fittings.




						S	T
F	Combination supply and pop-up drain, etc.					18 1/4"	17"
J	Faucets, pop-up drain, etc.					20 3/4"	17"
P	Faucets, drain plug, etc.					20 3/4"	19 1/4"
Sizes	L	W	X	A	O	C	I
16x15"	15 1/4"	16"	34 3/4"	5"	8 3/8"	27 7/8"
19x17"	19"	17"	34 1/4"	5 1/2"	6 3/8"	35 5/8"	23 3/8"

Measurements may vary 1/2".

Kohler Co., Kohler, Wisconsin

KOHLER OF KOHLER
 "PLACID" One-piece Vitreous China Siphon Jet
 Closet Combination


K-3600-EB



Designed to rough in $12\frac{1}{2}$ " minimum. (Recommend 13".) Center of stop to inlet end of supply pipe $6\frac{1}{2}$ ".

KOHLER OF KOHLER
 "INTEGRA" One-piece Reverse Trap
 Closet Combination

K-3610-PB



Designed to rough in 12 1/2" minimum. (Recommend 13".) Center of stop to inlet end of supply pipe 6 1/2".


Measurements may vary 1/2".

Kohler Co., Kohler, Wisconsin

PRINTED
 IN
 U.S.A.

KOHLER OF KOHLER "CHANNEL" Siphon Jet Closet Combination


Combination	L
K-3655-EB	29 $\frac{3}{4}$ "
K-3655-PB	27 $\frac{3}{4}$ "



Designed to rough in 12 $\frac{1}{2}$ " minimum. (Recommend 13".) Center of supply to wall 3 $\frac{1}{2}$ ". Center of stop to inlet end of supply pipe 6 $\frac{1}{2}$ ".

KOHLER OF KOHLER "BOLTON" Vitreous China Reverse Trap Closet Combination

Combination	L
K-3665-EB	30"
K-3665-PB	28"




Designed to rough in $12\frac{1}{2}$ " minimum. Center of stop to inlet end of supply pipe $6\frac{1}{2}$ ".

Measurements may vary $\frac{1}{2}$ ".

KOHLER OF KOHLER
"WELLWORTH" Vitreous China Reverse Trap
Closet Combination

K-3705-PB




Designed to rough in $12\frac{1}{2}"$ minimum. (Recommend $13"$.) Center
of stop to inlet end of supply pipe $6\frac{1}{2}"$.

KOHLER OF KOHLER "BROOKLANDS" Vitreous China Reverse Trap Closet Combination

Elongated	Round Front	Bowl	A	R
K-3720-EB	K-3720-PB	K-4340	14"	6 $\frac{3}{8}$ "
K-3721-EB	K-3721-PB	K-4341	12"	4 $\frac{3}{8}$ "

K-4500-A Tank, except with angle supply pipe.

Tank number with suffix C indicates tank with concealed supply.




L Elongated - 29". Round front - 27".

Measurements may vary $\frac{1}{2}$ ".

KOHLER OF KOHLER
 "TRYLON" Vitreous China Washdown
 Closet Combination

K-3745-PB



Designed to rough in $12\frac{1}{2}"$ minimum. (Recommend $13"$.) Center of stop to inlet end of supply pipe $6\frac{1}{2}"$.

KOHLER OF KOHLER

Vitreous China Washdown Closet Combinations

"TRENT"


Combination	Bowl	A	R
K-3750-PB	K-4360-PR	14"	5 $\frac{5}{8}$ "
K-3751-PB	K-4361-PR	12"	3 $\frac{5}{8}$ "

"THURLOW" Integral Seat

.....	K-4365-PR	14"	5 $\frac{5}{8}$ "
-------	-----------	-----	-------------------

K-4500-A Tank, except with angle supply pipe.

Tank number with suffix C indicates tank with concealed supply.



Measurements may vary $\frac{1}{2}$ ".

KOHLER OF KOHLER

Vitreous China Siphon Jet Closet Combination


"ROCKWELL"

Combination	Bowl	L
K-3800-ET	K-4260-ET	29"
K-3800-PT	K-4260-PT	27"

"ROTHWELL" Integral Seat

K-3805-ET	K-4265-ET	29"
K-3805-PT	K-4265-PT	27"

Flush valve: Watrous M-532-U, M-632, Sloan 110-F.



Vacuum breaker does not change measurements and is furnished only when specified. Suffix VB indicates Watrous and YV Sloan vacuum breaker.

KOHLER OF KOHLER

Vitreous China Siphon Jet Closet Combinations


"WELLAND"

Combination	Bowl	S	L	H
K-3810-ET	K-4270-ET	23"	28 $\frac{1}{4}$ "	14"
K-3810-PT	K-4270-PT	23"	26 $\frac{1}{4}$ "	14"

"PENRYN"

K-3820-ET	K-4280-ET	24"	27"	15"
K-3820-PT	K-4280-PT	24"	25"	15"

Flush valve: Watrous M-532-U, M-632-U, Sloan 110-FQ.



Vacuum breaker does not change measurements and is furnished only when specified. Suffix VB indicates Watrous and YV Sloan vacuum breaker.

Measurements may vary $\frac{1}{2}$ ".

KOHLER OF KOHLER

Vitreous China Siphon Jet Closet Combination


"DOWNING"

Elongated	Round Front	Bowl	A	R
K-3840-ET	K-3840-PT	K-4290	14"	10"
K-3841-ET	K-3841-PT	K-4291	12"	8"

"DARVEL" Integral Seat

K-3845-ET	K-3845-PT	K-4295	14"	10"
-----------	-----------	--------	-----	-----

Flush valve: Watrous M-532-U, M-632-U; Sloan 110-F.



L Elongated - 28½". Round front - 26½".

Vacuum breaker does not change measurements and is furnished only when specified. Suffix VB indicates Watrous and YV Sloan vacuum breaker.


Measurements may vary ½".

Kohler Co., Kohler, Wisconsin

KOHLER OF KOHLER "BROOKLANDS" Vitreous China Reverse Trap Closet Combinations

Elongated	Round Front	Bowl	A	R
K-3940-ER	K-3940-PR	K-4340	11 $\frac{3}{4}$ "	6 $\frac{3}{8}$ "
K-3941-ER	K-3941-PR	K-4341	9 $\frac{3}{4}$ "	4 $\frac{3}{8}$ "

Flush valve: Watrous M-533-U, M-633-U, Sloan 120-F.



L Elongated - 26 $\frac{3}{4}$ ". Round front - 24 $\frac{3}{4}$ ".

Vacuum breaker does not change measurements, and is furnished only
when specified. Suffix VB indicates Watrous and
VV Sloan vacuum breaker.

KOHLER OF KOHLER

Vitreous China Washdown Closet Combinations


"TRENT"

Combination	Bowl	A	R
K-3960-PR	K-4360-PR	11"	5 $\frac{5}{8}$ "
K-3961-PR	K-4361-PR	9"	5 $\frac{5}{8}$ "

"THURLOW" Integral Seat

K-3965-PR	K-4365-PR	11"	5 $\frac{5}{8}$ "
-----------	-----------	-----	-------------------

Flush valve: Watrous M-533-U, M-633-U, Sloan 120-F.



Vacuum breaker does not change measurements, and is furnished only when specified. Suffix VB indicates Watrous and YV Sloan vacuum breaker.

Measurements may vary $\frac{1}{2}$ ".


Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.

KOHLER OF KOHLER

Vitreous China Urinal Stalls

Battery of 3		Urinal	Front
K-4900	Brandon.....	K-4925-T	Straight.
		K-4926-T	Left wing.
K-4936	Hillan.....	K-4927-T	Right wing.
		K-4945-T	Two wings.
K-4901, 3, 8, 10		On other side.	
K-4570-A		Tank.	
K-9172		Strainer.	



Strainers for caulking 2" iron pipe or soldering 2" lead pipe.

M K-4932 and K-4933 seam covers for stall centers--- 20" 21" 22" 24"

Flush pipe regularly furnished for setting stalls up to 24" center to center.

Tank	Gals.	L	W	X	S	G	D	E	F	O
K-4570-A	3	15 1/2"	8"	93"	97"	6"	12 1/2"	5 1/2"	3 1/2"	3 1/2"
K-4572-A	6	19"	11"	93"	96"	7"	12 1/2"	6"	2 1/2"	3 1/2"
K-4580-A	3	13 1/2"	7 1/4"	90 3/4"	93 3/4"	5 1/4"	9"	5 1/8"	3 1/2"	3 1/2"
K-4582-A	5	18 1/2"	10 3/8"	90 3/4"	92 3/4"	7 1/4"	9 1/2"	3"	2 1/4"	3 1/2"
K-4584-A	7	20 3/8"	10 3/8"	91 1/4"	93 1/4"	8 1/4"	10 1/4"	3"	2 1/4"	3 1/2"

If with rear inlet, center to top of lip 35 1/2". Flush connection on stalls (top or rear) 3/4" I. P. straight threaded shank with 3/4" slip joint nut and 1" straight threaded shank and coupling nut for 1" O. D. tubing with collar on tanks.

Tanks for larger batteries with 1 1/4" or 1 1/2" connection as required.

For proper floor drainage, install lip of urinal below floor level.


KOHLER OF KOHLER

Vitreous China Urinal Stalls

Combination		Battery	Urinal	Front
K-4901	"Branham"	3	{ K-4925-T K-4926-T K-4927-T	Straight. Left wing. Right wing.
K-4903	"Branham"	2	K-4925-T	Straight.
K-4908	"Branham"	2	K-4925-T	Straight.
K-4910	"Branham"	1	K-4925-T	Straight.
K-4938	"Hillan"	3	K-4945-T	Two wings.
K-4941	"Hillan"	1	K-4945-T	Two wings.

K-4936 On other side. K-4937, 40 On other sheets.

K-9172 Strainer. Flush valve: Watrous M-542, M-642; Sloan 185-H.



Strainers or caulking 2" iron pipe or soldering 2" lead pipe.

K-4932 and K-4933 seam covers for stall centers 20", 21", 22" and 24".

Vacuum breaker does not change measurements, and is furnished only when specified. Suffix VB indicates Watrous and YV Sloan vacuum breaker.

If with rear inlet, center to top of lip 35 1/2". Flush connection on stall (top or rear) 3/4" I. P. straight threaded shank with 3/4" slip joint nut.

For proper floor drainage, install lip of urinal below floor level.

Measurements may vary 1/2".

Kohler Co., Kohler, Wisconsin


PRINTED
IN
U.S.A.

KOHLER OF KOHLER "BRANHAM" Vitreous China Urinal Stall

K-4906 † Battery of two.

Urinal	Front
† K-4925-R	Straight.
K-4926-R	Left wing.
K-4927-R	Right wing.
K-4945-R	Two wings.

K-9172 Strainer.



Strainers for caulking 2" iron pipe or soldering 2" lead pipe.

M K-4932 and K-4933 seam covers for stall centers . . 20" 21" 22" 24"

Flush Valve	T	C	E
Watrous: M-541.....	46 ⁹ / ₁₆ "	4 ³ / ₄ "	7 ¹ / ₁₆ "
M-641.....	45 ¹ / ₂ "	4 ³ / ₄ "	1 ¹ / ₂ "
Sloan: 194.....	45 ¹ / ₂ "	3 ³ / ₄ "	1 ¹ / ₂ "

Flush valve dimension (C) based on 1" thick wall. For each additional inch of wall thickness add 1" to C.

Flush connection on stall (top or rear) ³/₄" I. P. straight threaded shank with ³/₄" slip joint nut.

Vacuum breaker does not change measurements, and is furnished only when specified. Suffix VB indicates Watrous and YV Sloan vacuum breaker.

For proper floor drainage, install lip of urinal below floor level.


KOHLER OF KOHLER

Vitreous China Urinal Stalls

Combination	Urinal	Front
K-4909 "Branham"	K-4925-T	Straight
	K-4926-T	Left wing.
K-4940 "Hillan"	K-4927-T	Right wing.
	K-4945-T	Two wings.

K-4910, 36, 37, 38 On other sheets.

K-4570-A Tank. K-9172 Strainer.



Strainers or caulking 2" iron pipe or soldering 2" lead pipe.

Tank	Gals.	L	W	X	S	G	D	E	O
K-4570-A	3	15 1/2"	8"	93"	97"	6"	12 1/2"	5 1/2"	3 1/2"
K-4580-A	3	13 1/2"	7 1/4"	90 3/4"	93 3/8"	5 1/4"	9"	5 1/8"	3 1/2"

If with rear inlet, center to top of lip 35 1/2". Flush connection on stall (top or rear) and tanks 3/4" I. P. straight threaded shank with 3/4" slip joint nut for stall, and coupling nut for 3/4" O. D. tubing with collar, for tanks.

For proper floor drainage, install lip of urinal below level of floor.

Measurements may vary 1/2".

Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.


KOHLEK OF KOHLEK

"JARVES" Enameled Urinal Combination

K-5050-A With fittings.

K-5050 Less trap.

K-4580-A Tank.



Sizes	No. Lips	C/C Lips	T	O	† H	V
24"	1	...	12 3/4"	6 1/4"	11"	6 1/2"
36"	2	20"	12 3/4"	6 1/4"	15"	10 1/2"
48"	2	32"	10 1/4"	3 1/4"	15"	16 1/2"
60"	3	22"	12 3/4"	6 1/4"	15"	11 1/4"
72"	4	18 1/2"	12 3/4"	6 1/4"	15"	11 1/4"

48" size with K-9032 offset trap, other sizes with K-9020 trap.


† 24" to 48" urinals have one hanger only, located in center of back.

KOHLER OF KOHLER

"JARVES" Enameled Urinal

K-5052-A With fittings.

K-5052 With strainer only.



Sizes	No. Lips	C/C Lips	T	O	†H	V
24"	1	---	12 3/4"	6 1/4"	11"	6 1/2"
36"	2	20"	12 3/4"	6 1/4"	15"	10 1/2"
48"	2	32"	10 1/4"	3 1/4"	15"	16 1/2"
60"	3	22"	12 3/4"	6 1/4"	15"	11 1/4"
72"	4	18 1/2"	12 1/2"	6 1/4"	15"	11 1/4"

48" size with K-9032 offset trap, other sizes with K-9020 trap.

† 24" to 48" urinals have one hanger only, located in center of back.

Measurements may vary 1/2".


KOHLER OF KOHLER "BANNON" Enameled Service Sinks

K-5200-A With faucet.

K-5200 Less trap standard and fittings.

K-5239 Trap standard.

K-8912 Mixing faucet.




Floor to center of trap outlet 10" minimum for threaded nipple connection to drain.

No change in measurements for sink with K-5240 trap standard, or trap outlet tapped 2" I. P.

Faucet wall brace (furnished only when ordered) attaches to wall 7 5/8" above center of supply holes.

Sizes	L	W	O
20x16"	20 1/4"	16 1/4"	7 3/4"
22x18"	22 1/4"	18 1/4"	8 3/4"
24x20"	24 1/4"	20 1/4"	9 3/4"

K-5200-C With K-5235 trap standard.
K-5200-D With K-5237 trap standard.




Technical drawing of a pump body with the following dimensions and labels:

- Overall height: $14\frac{7}{8}$ "
- Top flange diameter: $5\frac{1}{2}$ "
- Internal vertical dimension: $4\frac{1}{4}$ "
- Internal horizontal dimension: $1\frac{1}{4}$ "
- Overall width at base: $13\frac{1}{4}$ "
- Base thickness: $1\frac{1}{4}$ "
- Labels: TUBING VENT, HUB VENT, 2.00

PRINTED
IN
U.S.A.

K-5335-A




Use fixture as template to set wall bolts.

KOHLER OF KOHLER

"CLEARBROOK" Vitreous China Drinking Fountain

K-5350-A With fittings.


K-5350 Less trap.



Measurements may vary 1/2".

KOHLER OF KOHLER

With Fittings	Less Traps	Combination
K-5500-A	K-5500	Without cabinet.
K-5505-A	K-5505	Cabinet.




If with K-9060 continuous drain, trap will rough in $19\frac{1}{2}"$ above floor, either side.

Fitting for 3 waters has third water valve 4" to right of right regular valve.

Front corner radius $7/8"$.

KOHLER OF KOHLER
"CAMBERLEY" Enameled Sink

With Fittings	Less Trap	Combination
K-5550-A	K-5550	Without cabinet.
K-5555-A	K-5555	Cabinet.



Sizes	L	X	H	D
54x25"	54"	17"	11"	17"
60x25"	60"	15"	15"	20"

Fitting for 3 waters has third water valve 4" to right of right regular valve.

Front corner radius $\frac{7}{8}"$.

Measurements may vary $\frac{1}{2}$ ".

Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.

KOHLER OF KOHLER

"CYMBRIA" Enameled Sink

Less Trap

Combination


K-5569

Without cabinet.

■ ● ● ● ■ ●

Cabinet.

K-5570 On other side.



Fitting for 3 waters has third water valve 4" to right of right regular valve.


Front corner radius $7/8"$.

KOHLER OF KOHLER

"CYMBRIA" Enameled Sink

With Fittings	Less Trap	Combination
K-5570-A	K-5570	Without cabinet.
K-5576-A	Cabinet.

K-5575-A On other side.



Fitting for 3 waters has third water valve 4" to left of left regular valve.

Front corner radius 3/8".


Measurements may vary 1/2".

Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.

"WELLWIN" Enameled Sink

With Fittings	Less Traps	Combination
K-5590-A	K-5590	Without cabinet.
K-5595-A	Cabinet.




If with continuous drain, trap will rough in $19\frac{1}{2}$ " above floor, either side.

Fitting for 3 waters has third water valve 4" to right of right regular valve.

Front corner radius $\frac{7}{8}$ ".

KOHLER OF KOHLER "DOUBLEDAY" Enameled Sink

With Fittings	Less Fittings	Combination
K-5700-A	K-5700	Without cabinet.
K-5705-A	Cabinet.



Front corner radius $\frac{7}{8}$ ".

Measurements may vary $\frac{1}{2}$ ".


Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.

KOHLER OF KOHLER "HOLIDAY" Enameled Sink

With Fittings	Less Trap	Combination
K-6079-A	K-6079	Without cabinet.
K-6085-A	Cabinet.

K-6080-A On other side.



Front corner radius $\frac{1}{8}"$.

KOHLER OF KOHLER "HOLIDAY" Enameled Sink

With Fittings

Less Trap

Combination

K-6080-A

K-6080


Without cabinet.

K-6086-A

• • • • •

Cabinet.

K-6085-A On other side.



Front corner radius $\frac{7}{8}"$.


Measurements may vary $\frac{1}{2}$ ".

Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.

KOHLER OF KOHLER

With Fittings	Less Fittings	Combination
K-6135-M	K-6135	Without cabinet.
K-6141-M	Cabinet.
K-6143-M	Cabinet.
	K-6142-M	On other side.



Sizes	L	E	X	H	V	F	D
† 42x20"	42"	12¼"	4½"	11"	5¾"	19¾"	20"
52x20"	52"	15½"	7"	15"	7½"	25¾"	24"

† K-6143-M 42x20" size only.


Front corner radius $4\frac{3}{4}"$.

Cabinet bases allow sink adjustment 33½" to 36" from floor to rim.

KOHLER OF KOHLER

"BERKSHIRE" Enameled Sink

With Fittings	Less Fittings	Combination
K-6136-M	K-6136	Without cabinet.
K-6142-M	Cabinet.
K-6144-M	Cabinet.
K-6143-M On other side.		



Sizes	L	E	X	H	V	F	D
† 42x20"	42"	12 1/4"	4 1/2"	11"	5 3/4"	19 3/4"	20"
52x20"	52"	15 1/2"	7"	15"	7 1/2"	25 3/4"	24"

† K-6144-M 42x20" size only.

Front corner radius 4 3/4".

Cabinet bases allow sink adjustment 33 1/2" to 36" from floor to rim.

Measurements may vary 1/2".

Kohler Co., Kohler, Wisconsin


PRINTED
IN
U.S.A.

KOHLER OF KOHLER

"TRIMM" Enameled Sink

K-6149-A With fittings.

K-6149 Less trap.




KOHLER OF KOHLER

"TRIMM" Enameled Sink

K-6150-A With fittings.

K-6150 Less trap.




Measurements may vary $\frac{1}{2}"$.

Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.

K-6169-M With fittings.
K-6169 Less fittings.




Measurements may vary $\frac{1}{2}$ ".

KOHLER OF KOHLER

"PURITAN" Enameled Sink

K-6170-M With fittings.

K-6170 Less fittings.



Sizes	L	E	T	X	H	B	Z	V	F	D
*36x20"	36"	11 1/8"	23 1/4"	9"	11"	8 5/8"	*	6 3/4"	17 1/2"	16"
42x20"	42 1/4"	12 5/8"	25 1/4"	6"	15"	6 5/8"	11"	5 1/4"	19 3/4"	20"
52x20"	52 1/2"	15 3/4"	25 1/4"	7 1/2"	15"	6 5/8"	15"	7 1/2"	25 3/4"	24 1/4"

* 36x20" size has single lug hanger over drain board. See dimension X.

Measurements may vary 1/2".

Kohler Co., Kohler, Wisconsin


PRINTED
IN
U.S.A.

KOHLER OF KOHLER

"SUTTON" Enameled Sink

K-6325-C With fittings.

K-6325 Less fittings.




Sizes	W	L	O	H	F	R
24x16"	16"	24"	8"	11"	19 $\frac{1}{2}$ "	11 $\frac{3}{4}$ "
24x18"	18"	24"	9"	11"	19 $\frac{1}{4}$ "	13 $\frac{3}{8}$ "
24x20"	20"	24"	10"	11"	19 $\frac{1}{2}$ "	15 $\frac{3}{4}$ "
30x18"	18 $\frac{1}{8}$ "	30 $\frac{3}{8}$ "	9"	15"	26 $\frac{1}{4}$ "	14 $\frac{3}{8}$ "
30x20"	20 $\frac{1}{4}$ "	30 $\frac{1}{2}$ "	10 $\frac{1}{2}$ "	15"	26"	16"
36x20"	20"	36 $\frac{1}{2}$ "	10 $\frac{1}{2}$ "	15"	32"	15 $\frac{3}{4}$ "

KOHLER OF KOHLER "ALAMEDA" Enameled Sink

K-6400-M With fittings.

K-6400 Less fittings.



Sizes	W	L	O	H	F	R
30x18"	18 1/2"	30 1/2"	9 1/2"	15"	26 1/4"	14 7/8"
30x20"	20 1/2"	30 3/4"	10 1/2"	15"	26 1/2"	16 7/8"

Measurements may vary 1/2".



Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.

KOHLER OF KOHLER "DELAFIELD" Enameled Sink

K-6490-A With fittings.

K-6490 Less traps.



Sizes	L	E	N	F
32x21"	32"	8"	8"	13 1/2"
42x21"	42"	10 1/2"	10 1/2"	18 1/2"

If with K-9060 continuous drain, trap will rough-in 19 1/2" above floor, either side.


If with spray, 4" to left of left regular valve, and third water valve 4" to right of right regular valve.

KOHLER OF KOHLER

"ASHLEY" Enameled Sink

K-6500-A With fittings.

K-6500 Less fittings.



Sizes	L	E	N	F
32x20"	32"	9 1/4"	6 3/4"	13 7/8"
42x20"	42"	13 3/4"	7 1/4"	18 7/8"

If with K-9060 continuous drain, trap will rough-in 19 1/2" above floor, either side.

If with spray, 4" to left of left regular valve, and third water valve 4" to right of right regular valve.

Diameter of flanges: Valves and spray 2", spout 2 1/4".

Measurements may vary 1/2".



Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.

KOHLER OF KOHLER "MAYFIELD" Enameled Sink

K-6510-A With fittings.

K-6510 Less trap.





Sizes	L	E	F
24x21"	24"	12"	21 1/2"
30x21"	30"	15"	27 1/2"

Spray 4" to left of left regular valve. If with third water valve 4" to right of right regular valve.

KOHLER OF KOHLER "ATWOOD" Enameled Sink

K-6520-A With strainer.

K-6520 Less strainer.




Sizes	E	O
12x12"	6"	6"
24x20"	12"	10"
30x18"	15"	9"
30x20"	15"	10"

Trap furnished only when ordered.

Measurements may vary 1/2".

K-6550-A With strainer.
K-6550 Less strainer.

K-6550 Less strainer.



Sizes	E	O
24x20"	12"	10"
30x20"	15"	10"


Trap furnished only when ordered.

KOHLER OF KOHLER

"FENTRESS" Enameled Sinks

K-6570-A With strainer.

K-6570 Less strainer



Sizes		
18x12"	24x16"	30x18"
20x14"	24x18"	30x20"
20x16"	24x20"	36x20"

E - $6 \frac{1}{4}''$.

G - K-9101 - $2 \frac{3}{8}''$, K-9107 - $1 \frac{3}{4}''$.

Trap furnished only when ordered.

Measurements may vary $\frac{1}{2}''$.

Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.


KOHLER OF KOHLER "SEA CLIFF" Enameled Sink and Laundry Tray

K-6603-A With fittings.

K-6603 Less legs and strainers.

K-6607-A With cabinet and fittings.

K-6604-A On other side.



Sizes	L	E	N	V	X	F
36x25"	36"	9 $\frac{3}{4}$ "	8 $\frac{3}{4}$ "	8 $\frac{3}{4}$ "	18 $\frac{1}{2}$ "	14 $\frac{1}{2}$ "
42x25"	42"	11"	10"	8 $\frac{3}{4}$ "	24 $\frac{1}{2}$ "	17 $\frac{1}{2}$ "
50x25"	50"	13"	12"	7 $\frac{1}{4}$ "	35 $\frac{1}{2}$ "	21 $\frac{1}{2}$ "

Center of trap to floor:—

Continuous drain and trap, either side 15 $\frac{3}{4}$ "
 Individual traps, Sink 23 $\frac{1}{4}$ ", Tray 19 $\frac{1}{2}$ "

Continuous drain and trap furnished only when ordered.

50" size furnished with two hangers, each with two lugs 11" center to center. Outer lugs located by V and X.

KOHLER OF KOHLER


"SEA CLIFF" Enameled Sink and Laundry Tray

K-6604-A With fittings.

K-6604 Less legs and strainer.

K-6608-A With cabinet and fittings.

K-6607-A On other side.



Sizes	L	E	N	V	X	F
36x25"	36"	9 $\frac{3}{4}$ "	8 $\frac{1}{4}$ "	8 $\frac{3}{4}$ "	18 $\frac{1}{2}$ "	14 $\frac{1}{2}$ "
42x25"	42"	11"	10"	8 $\frac{3}{4}$ "	24 $\frac{1}{2}$ "	17 $\frac{1}{2}$ "
50x25"	50"	13"	12"	7 $\frac{1}{4}$ "	35 $\frac{1}{2}$ "	21 $\frac{1}{2}$ "

Center of trap to floor:—

Continuous drain and trap, either side 15 $\frac{3}{4}$ "
 Individual traps: Sink 23 $\frac{1}{4}$ "; Tray 19 $\frac{1}{2}$ "

Continuous drain and trap furnished only when ordered.

50" size furnished with two hangers, each with two lugs 11" center to center. Outer lugs located by V and X.

Measurements may vary $\frac{1}{2}$ ".

KOHLER OF KOHLER


Enameled Laundry Trays

"EMERY"

With Fittings	Less Fittings	Trays	Supports
K-6865-A	K-6865	2	Standards and wall supports.
K-6866-A	K-6866	1	Standard and wall supports.
K-6867-A	K-6867	1	Wall supports.

"PICKARD"

K-6876-A	K-6876	1	Standard and wall supports.
K-6877-A	K-6877	1	Wall supports.



Name	Sizes	L	W	E	N	O	R	F
Emery	24x20"	48"	20"	12"	12"	10"	17 1/2"	21"
Pickard	24 1/4"x23 1/4"	48 1/2"	23 1/4"	12 1/2"	12 1/2"	7 1/2"	19 1/2"	21 1/2"

Center of trap to RIM:

Continuous drain and "P" trap, either side 20 3/4"


Individual "P" trap 17"

Continuous drain and trap furnished only when ordered.

Faucet for battery of 3 is for installation above center tray and has 17" spout.

KOHLER OF KOHLER "ELSWICK" Enameled Laundry Trays

With Fittings	Less Fittings	Trays
K-6880-A	K-6880	2
K-6882-A	K-6882	1



Center of trap to floor:—

Continuous drain and "P" trap, either side..... 13 $\frac{1}{4}$ "

Individual "P" trap..... 17"

Continuous drain and trap furnished only when ordered.

K-6880-A furnished with union strip.

Faucet with 17" spout for battery of 3 is attached to rim of center tray.

Measurements may vary $\frac{1}{2}$ ".

Kohler Co., Kohler, Wisconsin


PRINTED
IN
U.S.A.

KOHLER OF KOHLER "ELLAND" Shower and Bath Fittings

K-7465 With drain.

K-7466 With drain.

K-7472 Less drain.



Times Square....	1 1/8"	Cosmopolitan ...	1 1/8"	Universal.....	1 1/4"
Mayfair.....	4 7/8"	Cardinal	5/8"	Kensington.....	5/8"
Viceroy.....	1 1/8"	Patrician	2 3/8"	Cove.....	7/8"
Metric.....	1 1/8"			Utile.....	1 1/8"

Built-in stops (furnished only when specified) 5" down from center of valves, minimum.


No change in measurements if with connected drain and overflow.

KOHLER OF KOHLER

"TRITON" Shower and Bath Fittings

K-7475 With drain.

K-7476 Less drain.



Times Square....	1 1/8"	Cosmopolitan...	1 1/8"	Universal.....	1 1/4"
Mayfair.....	4 7/8"	Cardinal.....	5/8"	Kensington.....	5/8"
Viceroy.....	1 1/8"	Patrician.....	2 3/8"	Cove.....	7/8"
Metric.....	1 1/8"			Utilla.....	1/2"

Built-in stops (furnished only when specified) 8" center to center and 4" down from center of valves, minimum.


No change in measurements if with connected drain and overflow.

Measurements may vary 1/2".

Kohler Co., Kohler, Wisconsin


PRINTED
IN
U.S.A.

K-7480 With drain.
K-7481 With volume regulator.
K-7492 Less drain.



Built-in stops (furnished only when specified) 5" down from center of valves, minimum.

K-7498 Less drain.




PRINTED
IN
U.S.A.

KOHLER OF KOHLER "DALTON" Shower and Bath Fitting

K-7500 With drain.

K-7501 With volume regulator.

K-7502 Less drain.



Times Square....	1 1/8"	Cosmopolitan ...	1 1/8"	Universal.....	1 1/4"
Mayfair.....	4 7/8"	Cardinal.....	5/8"	Kensington.....	5/8"
Viceroy.....	1 1/8"	Patrician.....	2 3/8"	Cove.....	7/8"
Metric.....	1 1/8"			Utile.....	1 1/2"

No change in measurements if with connected drain and overflow.


Built-in stops (furnished only when specified) 5" down from center of valves, minimum.

KOHLER OF KOHLER

"DALNEY" Shower Bath and Fittings

K-7510 With drain.

K-7523 Less drain.



Times Square....	1 1/8"	Cosmopolitan ...	1 1/8"	Universal.....	1 1/4"
Mayfair.....	4 7/8"	Cardinal	5/8"	Kensington.....	5/8"
Viceroy.....	1 1/8"	Patrician.....	2 3/8"	Cove	7/8"
Metric.....	1 1/8"			Utile.....	1 1/2"

No change in measurements if with connected drain and overflow.

Built-in stops (furnished only when specified) 5" down from center of valves, minimum.

Measurements may vary 1/2".


Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.

KOHLER OF KOHLER

Showers

		C
K-7575	"Jerrell".	5"
K-7582	"Wendron".	3½"
H-13015	"Cannock", with built-in stops.	5"



Diameter of holes in wall for: Mixer: K-7582 - 3½", All others 3¾"; Shower arm 1⅝"; Stops 1¾".


If with built-in stops, 8" center to center and 4" down from center of mixer.

KOHLER OF KOHLER

"TIPTON" Shower

K-7585 Less volume regulator.

K-7586 With volume regulator.




Diameter of holes in wall for: Valves $1\frac{3}{4}$ ", Shower arm $1\frac{1}{8}$ ".

If with built-in stops, 8" center to center and 8" down from center of valves

Measurements may vary $\frac{1}{2}$ ".

KOHLER OF KOHLER "SEDLEY" Shower

K-7595



No change in measurements for shower with angle stops in supplies to wall, or top or bottom supply pipes.


Center of mixer to end of supply pipes: Top 36"; bottom 48".

Shower with top or bottom supply with support post between mixer and wall.

KOHLER OF KOHLER

"WATERFORD" Shower

K-7605 Metropolitan.



No change in measurements if with stops in supplies to wall, or top or bottom supply pipes.

Center of valves to end of supply pipes: Top 36", Bottom 51".

Shower with top or bottom supply furnished with support post between tee and wall.

Measurements may vary 1/2".

Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.

KOHLER OF KOHLER

Bath Fittings

*K-7770 "Hadley", with pop-up drain.


*K-7772 "Hadley", less drain.

K-7780 "Braxton", with pop-up drain.


K-7781 "Braxton", with pop-up drain.

K-7785 "Dixmont", with connected drain and overflow.

K-7788 "Dixmont", less drain.



* Valve with integral stop in K-7770 and 72 fittings.



Times Square	1 1/8"	Patrician	2 3/8"
Mayfair	4 7/8"	Universal	1 1/4"
Viceroy	1 1/8"	Kensington	5/8"
Metric	1 1/8"	Cove	7/8"
Cosmopolitan	1 1/8"	Utilla	1/2"
Cardinal	5/8"		


Built-in stops for K-7780 to 88 fittings (furnished only when specified)
5" down from center of valves, minimum.

KOHLER OF KOHLER

"PAXTON" Bath Fittings

K-7790 With drain.

K-7795 Less drain.



Times Square.....	1 1/8"	Patrician.....	2 3/8"
Mayfair.....	1 7/8"	Universal.....	1 1/4"
Viceroy.....	1 1/8"	Kensington.....	5/8"
Metric.....	1 1/8"	Cove.....	7/8"
Cosmopolitan.....	1 1/8"	Utile.....	1/2"
Cardinal.....	5/8"		

Built-in stops (furnished only when specified) 8" center to center and 4" down from center of mixer, minimum.


No change in measurements if with connected drain and overflow.

Measurements may vary 1/2".

KOHLER OF KOHLER

Lavatory Fittings

- K-8020 "Metropolitan". With pop-up drain.
 K-8021 "Signet". With pop-up drain.
 † K-8023 "Metropolitan". With drain plug and stopper.
 † K-8244 With drain plug and stopper.
 H-13600 With pop-up drain.
 H-13601 With spray.
 † H-13614 With drain plug and stopper.
 † H-13615 With drain plug and stopper.
 † H-13616 With drain plug and stopper.



T — K-8020 to 44 - $3\frac{1}{2}$ " ; H-13600 to 16 - 5".

J — K-8020, 21 and H-13614 to 16 for corner lavatories 5" ; For all others 4".

† K-8023, K-8244 and H-13614 to 16 fittings (with drain plug and stopper), bottom of lavatory outlet to end of 4" long outlet tube $5\frac{1}{2}$ ".

Outlet tube O. D.: K-8020 to K-8244 - $1\frac{1}{4}$ " ; H-13600 to 16 - $1\frac{1}{2}$ ".


Bottom of spout outlet to slab: K-8020 to K-8244 - $1\frac{1}{4}$ " ; H-13600 - 7" ; H-13601 - 6" ; H-13614 and 15 - $2\frac{3}{4}$ " ; H-13616 - $6\frac{1}{2}$ ".

Valve inlets accommodate $\frac{7}{8}$ " and $\frac{1}{2}$ " O. D. tubing for slip joint connection.

NOTE:—Not designed for Gramercy, Strand, Cub, Lexington, Walcot, Amberley and Milan vitreous and Hampton, Traveler, Narobol, Kenneth, Bijou, 16x15" Clare and Chillon enameled lavatories.

KOHLER OF KOHLER "CORTLAND" Lavatory Fitting

K-8030 Metropolitan.



T — $3\frac{1}{2}$ ".

J — For corner lavatories 5". For all others 4".

If with drain plug instead of pop-up drain, bottom of lavatory outlet to end of 4" long outlet tube $5\frac{1}{2}$ ".

Valve inlets accommodate $\frac{7}{8}$ " and $\frac{1}{2}$ " O. D. tubing for slip joint connection.

NOTE:—Not designed for Gramercy, Strand, Cub, Lexington, Walcot, Amberlev and Milan vitreous and Hampton, Traveler, Narabol, Kenneth, Bijou, 16x15" Clare and Chillon enameled lavatories.

Measurements may vary $\frac{1}{2}$ ".


Kohler Co., Kohler, Wisconsin

PRINTED
IN
U.S.A.


KOHLER OF KOHLER

Lavatory Fittings

- K-8050 "Centra" with pop-up drain.
 K-8051 With drain plug and stopper. †
 K-8067 "Emmerton" Metropolitan double lavatory faucet.



† K-8051 fitting (with drain plug and stopper), bottom of lavatory outlet to end of 4" long outlet tube 5 1/2".



Supply pipes when ordered for Emmerton fitting for rear center of lavatory installation (as shown), furnished offset to rough in 8 1/2" center to center.


If for fitting installed through right or left faucet hole, straight supply pipes are furnished to rough in 3 3/4" center to center.

KOHLER OF KOHLER


Faucets

		T	V
K-8068	"Albans" double faucet	4 $\frac{3}{8}$ "	2"
K-8178	"Fulwell" faucet	3 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "
K-8179	"Fulwell" faucet	3 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "
K-8182	"Topper" faucet	3 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "
K-8183	"Topper" faucet	3 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "
K-8186	"Sentry" faucet	3 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "
K-8187	"Sentry" faucet	3 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "
K-8192	"Abney" faucet	3 $\frac{3}{4}$ "	1 $\frac{1}{2}$ "
K-8195	"Brimsdown" faucet	3 $\frac{1}{4}$ "	1 $\frac{1}{4}$ "
K-8815	"Bardney" pantry faucet	5"	9 $\frac{1}{2}$ "
H-13760	Gooseneck spout	5"	7"
H-13765	Gooseneck spout	5"	5"
H-13766	Gooseneck spout	5"	6"

K-8244 and 64 to K-8810 On other sheets.



K-8068



K-8178 to K-8815
H-13760 to H-13766


Inlets accommodate $\frac{7}{8}$ " or $\frac{1}{2}$ " O. D. tubing for slip joint supply connection.

Measurements may vary $\frac{1}{2}$ ".


KOHLER OF KOHLER

Lavatory Supply Pipes


- K-8264** $\frac{3}{8}$ " I. P. S.
K-8268 $\frac{3}{8}$ " I. P. S.
K-8278 $\frac{3}{8}$ " I. P. S. by $\frac{1}{2}$ " O. D. with union on stop.
K-8280 $\frac{3}{8}$ " I. P. S. by $\frac{1}{2}$ " O. D.
K-8294 $\frac{3}{8}$ " I. P. S. by $\frac{1}{2}$ " O. D. with union on ell.
K-8295 $\frac{3}{8}$ " I. P. S.
K-8320 $\frac{3}{8}$ " I. P. S.
K-8321 $\frac{3}{8}$ " I. P. S.
K-8322 $\frac{3}{8}$ " I. P. S. by $\frac{1}{2}$ " O. D.




K-8264 — K-8268 — K-8295




K-8280 — K-8299



K-8278 — K-8294



K-8320 — K-8321



K-8322

L For combination fitting 26". For faucets 28 1/2".


Supply pipes to floor for pedestal lavatories are offset 2 1/4" to rear to clear pedestal base.

No change in measurements for K-8264, K-8268, K-8295, K-8320 and K-8321 in 1/2" size.

KOHLER OF KOHLER

Lavatory Drains

- K-8420 "Veritas" pop-up drain operating through slab.
 K-8422 "Veritas" pop-up drain operating through back.
 K-8424 "Metaltop" drain plug with metal stopper.
 K-8426 With rubber stopper.
 K-8428 With open strainer.



J	Veritas	Metaltop
Regular lavatories.....	4"	4 1/4"
For corner lavatories.....	5"	7 1/4"
For corner lavatories with double faucet.....	6"	8 1/4"


Measurements may vary 1/2".

KOHLER OF KOHLER

"EDGEWATER" Sink Mixing Faucets

For Counter Installation

- K-8650 For 2 waters. With spray attachment.
- K-8651 For 2 waters. Without spray attachment.
- † K-8652 For 3 waters. With spray attachment.
- † K-8653 For 3 waters. Without spray attachment.



† Third water valve 4" to right of regular right valve.


Diameter of flanges: Valves and spray 2"; spout 2 1/4".

KOHLER OF KOHLER

Sink Mixing Faucets

		T	V	H
K-8680	"Dorset".....	7"	$\frac{1}{4}"$	$2\frac{1}{8}"$
K-8686	"Waterboro".....	5"	$\frac{1}{4}"$	$3\frac{1}{2}"$
K-8687	"Waterboro".....	5"	0"	$3\frac{1}{2}"$
K-8688	"Waterboro".....	5"	$\frac{1}{8}"$...
K-8692	"Highgate".....	5"	$2\frac{1}{4}"$	$3\frac{1}{2}"$
K-8694	"Highgate".....	5"	$2\frac{1}{4}"$...
H-13640	"Bentley".....	5"	5"	...
H-13641	"Bentley".....	5"	6"	...
H-13644	"Bedford".....	5"	6"	...
H-13645	"Bedford".....	5"	5"	...
H-13646	"Rowe".....	$6\frac{1}{4}"$	†	...
H-13647	"Rowe".....	$6\frac{1}{4}"$	†	...
H-13650	"Cathmar".....	5"	$2\frac{1}{2}"$...
H-13651	"Cathmar".....	5"	$2\frac{1}{2}"$...

H-13695 See K-5160-A.



H-13640 to 51 furnished only with $\frac{1}{2}"$ I. P. inside threaded shanks instead of outside threaded shanks shown.

† Spout outlet below center of faucet inlets: H-13646 - $2\frac{3}{4}"$, H-13647 - $1\frac{1}{4}"$.
Center of valves to wall: H-13640, 41, 46, 47 and 51 - 4"; All others $2\frac{3}{4}"$.

K-8680 and K-8694 to H-13651 regularly furnished less soap dish.

K-8683 to 94 regularly furnished with eccentric inlets allowing $\frac{1}{8}"$ adjustment.

Can furnish eccentric union shanks threaded $\frac{1}{2}"$ I. P. inside, with 9" long spout.

Measurements may vary $\frac{1}{2}"$.

Kohler Co., Kohler, Wisconsin


PRINTED
IN
U.S.A.

KOHLER OF KOHLER

Traps


K-9020

K-9022



K-9020

Sizes	C	D	H
1 1/4"	4 3/4"	2 3/4"	4 1/4"
1 1/2"	5"	3"	4 3/4"



K-9022

Sizes	C	D	H
1 1/4"	5"	2 3/4"	4 3/8"
1 1/2"	5 1/4"	3"	4 3/4"

No change in measurements for 1 1/2" trap with 1 1/4" inlet.

KOHLER OF KOHLER

Traps

K-9024

K-9024-A

K-9024-B



K-9030

K-9030-A


K-9030-B

K-9035

Suffixes: A=With 6" nipple, B=With 6" tube cover.



Number	Sizes	C	D	H
K-9024	1 $\frac{1}{4}$ "	5"	2 $\frac{3}{4}$ "	4 $\frac{3}{8}$ "
	1 $\frac{1}{2}$ "	5 $\frac{1}{4}$ "	3"	4 $\frac{3}{4}$ "
	2"	6 $\frac{1}{4}$ "	4"	5 $\frac{3}{4}$ "
K-9030	1 $\frac{1}{4}$ "	4 $\frac{3}{4}$ "	4 $\frac{3}{4}$ "
	1 $\frac{1}{2}$ "	4 $\frac{3}{4}$ "	5 $\frac{1}{4}$ "
	2"	6"	5 $\frac{3}{4}$ "
K-9035	1 $\frac{1}{4}$ "	6"	3"
	1 $\frac{1}{2}$ "	6 $\frac{1}{2}$ "	3 $\frac{1}{4}$ "



H — For lavatories 20 $\frac{1}{2}$ "
For sinks 26 $\frac{1}{2}$ "

No change in measurements or trap with reduced inlet.

Measurements may vary $\frac{1}{2}$ ".

Kohler Co., Kohler, Wisconsin


PRINTED
IN
U.S.A.

KOHLER OF KOHLER

Continuous Drains

K-9060 Two 1½" slip joint inlets and outlet tube.

K-9062 Three slip joint inlets.




Sizes	F	J	H
1½"	1½"	4"	4"
2"	2"	3"	4½"

Inter centers K-9060 - 16", 20", 24"; K-9062 - 28".

KOHLER OF KOHLER

Strainers

- K-9101 Duostrainer.
- K-9107 Altern.
- K-9120 Sink strainer.
- K-9121 With rubber stopper.



Outlet tube $1\frac{1}{2}$ " O. D.

Number	G
K-9101	$2\frac{3}{8}$ "
K-9107	$1\frac{3}{4}$ "
K-9120 - 21	$1\frac{1}{4}$ "

No change in measurements if furnished with
 $1\frac{1}{4}$ " O. D. outlet tube.

Measurements may vary $\frac{1}{2}$ ".

